

SCOPE OF ACCREDITATION

Materials Testing Laboratories

Perryman Company 213 Vandale Dr Houston, PA 15342

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: www.eAuditNet.com - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

AC7101/1 Rev G - Nadcap Audit Criteria for Materials Testing Laboratories – General Requirements for All Laboratories (to be used on audits on/after 5 May 2019)

AC7101/2 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Chemical Analysis (to be used on audits before 30 August 2020)

(G) Elemental Analysis (Combustion or Fusion)

(G2) - Hydrogen

Specify the Alloy Base for Accreditation

Ti Base

AC7101/3 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Mechanical Testing (to be used on audits on/after 4 December 2016)

(A) Room Temperature Tensile

AC7101/4 Rev F - Nadcap Audit Criteria for Materials Testing Laboratories – Metallography and Microindentation Hardness (to be used on/after 14 August, 2016)

(L0) Metallographic Evaluation

(L11) Grain Size

(L8) Near Surface Examinations – Alpha Case: Wrought Titanium

(XL) Macro Examination

AC7101/5 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Hardness Testing (Macro) (to be used on audits on/after 22 March 2015)

(M2) Rockwell Hardness

AC7101/7 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Mechanical Testing Specimen Preparation (to be used on audits on/after 15 May 2016)

(Z) Standard Specimen Machining

t-frm-0004 29-May-20

AC7101/9 Rev C - Nadcap Audit Criteria for Materials Testing Laboratories – Specimen Heat Treating (to be used on/after15 January 2017)

AC7102/8 - Nadcap Audit Criteria for Heat Treating - Pyrometry (to be used ON/AFTER 11 May, 2014)

Pyrometry – Industry Specs AMS 2750

Lab Type - Lab Type

Captive

t-frm-0004 29-May-20